

Persian

— corpus counts —

June 2016

Shirin Adibifar

University of Bamberg

cite this document as:

Adibifar, Shirin. 2016.
Multi-CAST Persian corpus counts.
In Haig, Geoffrey & Schnell, Stefan (eds.),
Multi-CAST (Multilingual Corpus of Annotated Spoken Texts).
(handle) (date accessed.)

Notes on the GRAID counts

The following tables are intended to provide a top-down view of the data in the Multi-CAST Persian corpus. As such, they do not include all GRAID categories, and certain subcategories of symbols have been consolidated for the sake of simplicity (e.g. the dt column sums counts for <dt>, <dt.a>, <dt.a>, etc.). For full detail, please refer to the **_counts-raw.csv* files provided with each corpus text.

For information regarding the interpretation of the symbols and their combinations, please consult the *Multi-CAST Persian annotation notes* and the *GRAID Manual 7.0* (Haig & Schnell 2014).

References

Haig, Geoffrey & Schnell, Stefan. 2014. *Annotations using GRAID (Grammatical Relations and Animacy in Discourse): Introduction and guidelines for annotators (version 7.0)*. (<https://lac.uni-koeln.de/en/multicast/>) (accessed 2015-12-30.)

Contents

Table 1	Counts for all Persian texts	3
Table 2	Counts for the g1-f-01 text	4
Table 3	Counts for the g1-f-02 text	5
Table 4	Counts for the g1-f-05 text	6
Table 5	Counts for the g1-f-07 text	7
Table 6	Counts for the g1-f-08 text	8
Table 7	Counts for the g1-f-09 text	9
Table 8	Counts for the g1-f-10 text	10
Table 9	Counts for the g1-f-11 text	11
Table 10	Counts for the g1-f-12 text	12
Table 11	Counts for the g1-f-14 text	13
Table 12	Counts for the g1-m-03 text	14
Table 13	Counts for the g1-m-04 text	15
Table 14	Counts for the g1-m-06 text	16
Table 15	Counts for the g1-m-13 text	17
Table 16	Counts for the g2-f-01 text	18
Table 17	Counts for the g2-f-02 text	19
Table 18	Counts for the g2-f-03 text	20
Table 19	Counts for the g2-f-04 text	21
Table 20	Counts for the g2-f-05 text	22
Table 21	Counts for the g2-f-06 text	23
Table 22	Counts for the g2-f-07 text	24
Table 23	Counts for the g2-m-08 text	25
Table 24	Counts for the g2-m-09 text	26
Table 25	Counts for the g2-m-10 text	27
Table 26	Counts for the g2-m-11 text	28
Table 27	Counts for the g2-m-12 text	29
Table 28	Counts for the g2-m-13 text	30
Table 29	Counts for the g2-m-14 text	31
Table 30	Counts for the g2-m-15 text	32

All Persian texts

(1,417 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	<i>total</i>
0.1	1	8	20	0	0	0	0	0	0	0	0	0	29
0.2	0	0	1	0	0	0	0	0	0	0	0	0	1
0.h	213	59	425	24	1	0	1	0	0	1	0	0	724
0	30	2	14	0	91	0	0	0	0	0	0	0	137
pro.1	0	1	1	0	0	0	0	0	0	0	0	0	2
pro.2	0	0	0	0	0	0	0	0	2	0	0	0	2
pro.h	31	9	44	2	49	26	42	26	283	4	0	0	516
pro	19	0	0	0	31	7	2	2	7	0	0	0	68
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	2	0	0	0	2
=pro.h	0	0	0	0	39	21	35	23	275	0	0	0	393
=pro	0	0	0	0	7	7	0	1	7	0	0	0	22
ind_pro.h	11	6	12	0	1	1	0	0	0	1	0	0	32
ind_pro	18	0	0	0	17	0	1	0	0	0	0	0	36
refl.h	0	1	4	0	1	11	0	0	7	1	0	1	26
np.h	173	8	73	3	22	19	8	8	26	9	11	0	360
np	158	2	9	0	309	137	45	221	18	5	14	12	930
#cc	0	0	0	0	57	0	0	0	0	0	0	0	57
other	0	0	0	0	3	0	1	19	0	0	37	1136	1196
total	654	96	603	29	628	229	135	300	627	21	62	1149	4533

Table 1. Combined GRAID counts for **all Persian texts**.

Persian *g1-f-01*

(47 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	6	2	13	0	0	0	0	0	0	0	0	0	21
0	2	0	1	0	4	0	0	0	0	0	0	0	7
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	1	0	1	1	1	0	2	3	11	0	0	0	20
pro	0	0	0	0	1	1	0	0	0	0	0	0	2
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	1	0	1	3	10	0	0	0	15
=pro	0	0	0	0	0	1	0	0	0	0	0	0	1
ind_pro.h	1	0	0	0	0	0	0	0	0	0	0	0	1
ind_pro	0	0	0	0	1	0	0	0	0	0	0	0	1
refl.h	0	0	0	0	0	0	0	0	0	0	0	0	0
np.h	8	1	4	0	0	0	0	0	0	0	0	0	13
np	4	0	0	0	11	6	1	10	1	0	1	0	34
#cc	0	0	0	0	1	0	0	0	0	0	0	0	1
other	0	0	0	0	0	0	0	1	0	0	1	18	20
total	22	3	19	1	20	8	4	17	22	0	2	18	136

Table 2. Combined GRAID counts for the *g1-f-01* text.

Persian *g1-f-02*

(54 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	1	0	0	0	0	0	0	0	0	0	1
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	11	1	15	0	0	0	1	0	0	0	0	0	28
0	1	0	2	0	1	0	0	0	0	0	0	0	4
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	0	1	2	0	0	1	4	0	11	0	0	0	19
pro	1	0	0	0	2	1	0	0	0	0	0	0	4
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	0	1	4	0	11	0	0	0	16
=pro	0	0	0	0	0	1	0	0	0	0	0	0	1
ind_pro.h	0	0	2	0	0	0	0	0	0	0	0	0	2
ind_pro	1	0	0	0	1	0	0	0	0	0	0	0	2
refl.h	0	0	0	0	1	1	0	0	0	0	0	0	2
np.h	7	0	6	0	0	0	1	0	1	0	0	0	15
np	3	0	0	0	12	3	3	12	1	1	1	1	37
#cc	0	0	0	0	6	0	0	0	0	0	0	0	6
other	0	0	0	0	0	0	0	0	0	0	2	33	35
total	24	2	28	0	23	8	13	12	24	1	3	34	172

Table 3. Combined GRAID counts for the *g1-f-02* text.

Persian *g1-f-05*

(60 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	1	0	0	0	0	0	0	0	0	0	1
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	5	2	18	0	0	0	0	0	0	0	0	0	25
0	0	0	0	0	2	0	0	0	0	0	0	0	2
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	3	1	0	0	1	1	2	1	17	0	0	0	26
pro	1	0	0	0	1	0	0	0	0	0	0	0	2
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	0	0	2	0	17	0	0	0	19
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	2	1	0	0	0	1	0	0	0	0	0	0	4
ind_pro	1	0	0	0	1	0	0	0	0	0	0	0	2
refl.h	0	0	0	0	0	0	0	0	1	0	0	0	1
np.h	10	0	3	0	1	2	1	1	3	0	2	0	23
np	6	1	0	0	15	9	4	14	0	0	0	0	49
#cc	0	0	0	0	3	0	0	0	0	0	0	0	3
other	0	0	0	0	0	0	0	0	0	0	3	54	57
total	28	5	22	0	24	13	9	16	38	0	5	54	214

Table 4. Combined GRAID counts for the *g1-f-05* text.

Persian *g1-f-07*

(38 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	4	0	16	2	0	0	0	0	0	0	0	0	22
0	0	0	0	0	4	0	0	0	0	0	0	0	4
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	1	0	1	0	1	1	1	0	10	0	0	0	15
pro	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	0	1	1	0	10	0	0	0	12
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro	0	0	0	0	0	0	0	0	0	0	0	0	0
refl.h	0	0	0	0	0	1	0	0	0	0	0	0	1
np.h	6	0	1	0	0	0	0	0	0	0	0	0	7
np	5	0	0	0	10	4	2	4	0	0	0	0	25
#cc	0	0	0	0	3	0	0	0	0	0	0	0	3
other	0	0	0	0	0	0	0	1	0	0	0	16	17
total	16	0	18	2	18	7	4	5	20	0	0	16	106

Table 5. Combined GRAID counts for the *g1-f-07* text.

Persian *g1-f-08*

(25 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	6	3	4	0	0	0	0	0	0	0	0	0	13
0	0	0	0	0	2	0	0	0	0	0	0	0	2
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	1	0	1	0	1	0	0	0	1	0	0	0	4
pro	0	0	0	0	1	0	0	0	0	0	0	0	1
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	1	0	0	0	1	0	0	0	2
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro	0	0	0	0	0	0	0	0	0	0	0	0	0
refl.h	0	0	0	0	0	0	0	0	0	0	0	0	0
np.h	4	1	2	0	0	0	1	0	0	0	0	0	8
np	1	0	0	0	3	2	0	5	0	0	0	0	11
#cc	0	0	0	0	0	0	0	0	0	0	0	0	0
other	0	0	0	0	0	0	0	1	0	0	0	44	45
total	12	4	7	0	8	2	1	6	2	0	0	44	86

Table 6. Combined GRAID counts for the *g1-f-08* text.

Persian *g1-f-09*

(100 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	2	0	0	0	0	0	0	0	0	0	2
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	14	6	31	4	0	0	0	0	0	0	0	0	55
0	4	1	3	0	5	0	0	0	0	0	0	0	13
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	2	0	1	0	2	0	1	1	30	0	0	0	37
pro	1	0	0	0	1	0	0	0	0	0	0	0	2
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	1	0	1	1	27	0	0	0	30
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	1	0	0	0	0	0	0	0	0	0	0	0	1
ind_pro	1	0	0	0	1	0	0	0	0	0	0	0	2
refl.h	0	0	0	0	0	2	0	0	0	0	0	0	2
np.h	7	0	3	0	3	0	1	0	0	0	1	0	15
np	15	1	1	0	22	12	4	18	6	0	1	0	80
#cc	0	0	0	0	6	0	0	0	0	0	0	0	6
other	0	0	0	0	0	0	0	0	0	0	4	125	129
total	45	8	41	4	41	14	7	20	63	0	6	125	374

Table 7. Combined GRAID counts for the *g1-f-09* text.

Persian *g1-f-10*

(83 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	1	0	0	0	0	0	0	0	0	0	1
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	15	1	31	2	0	0	0	0	0	0	0	0	49
0	4	0	0	0	8	0	0	0	0	0	0	0	12
pro.1	0	1	0	0	0	0	0	0	0	0	0	0	1
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	0	0	0	0	2	0	1	2	11	1	0	0	17
pro	2	0	0	0	2	3	0	0	1	0	0	0	8
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	2	0	1	2	11	0	0	0	16
=pro	0	0	0	0	1	3	0	0	1	0	0	0	5
ind_pro.h	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro	1	0	0	0	1	0	0	0	0	0	0	0	2
refl.h	0	0	0	0	0	0	0	0	0	0	0	0	0
np.h	8	0	4	1	1	0	0	0	3	1	1	0	19
np	7	0	2	0	22	11	2	9	2	1	2	1	59
#cc	0	0	0	0	1	0	0	0	0	0	0	0	1
other	0	0	0	0	0	0	0	0	0	0	2	78	80
total	37	2	38	3	40	17	4	13	29	3	5	79	270

Table 8. Combined GRAID counts for the *g1-f-10* text.

Persian *g1-f-11*

(60 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	9	4	16	0	0	0	0	0	0	0	0	0	29
0	2	0	1	0	2	0	0	0	0	0	0	0	5
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	4	0	3	0	2	3	1	0	11	0	0	0	24
pro	0	0	0	0	1	0	0	0	0	0	0	0	1
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	2	2	1	0	9	0	0	0	14
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro	0	0	0	0	1	0	0	0	0	0	0	0	1
refl.h	0	0	0	0	0	0	0	0	1	0	0	0	1
np.h	4	1	4	1	3	2	0	0	1	0	1	0	17
np	5	0	1	0	15	4	1	5	1	0	2	0	34
#cc	0	0	0	0	3	0	0	0	0	0	0	0	3
other	0	0	0	0	0	0	0	1	0	0	3	25	29
total	24	5	25	1	29	11	3	6	23	0	6	25	158

Table 9. Combined GRAID counts for the *g1-f-11* text.

Persian *g1-f-12*

(49 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	1	0	0	0	0	0	0	0	0	0	0	1
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	5	2	16	2	0	0	0	0	0	0	0	0	25
0	0	0	2	0	5	0	0	0	0	0	0	0	7
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	2	1	2	0	2	0	0	2	15	0	0	0	24
pro	1	0	0	0	0	0	0	0	0	0	0	0	1
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	1	0	0	1	15	0	0	0	17
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	1	0	0	0	0	0	0	0	0	0	0	0	1
ind_pro	1	0	0	0	0	0	0	0	0	0	0	0	1
refl.h	0	0	0	0	0	0	0	0	0	0	0	0	0
np.h	3	0	1	1	1	0	0	0	1	2	0	0	9
np	8	0	0	0	8	6	2	10	1	0	1	0	36
#cc	0	0	0	0	3	0	0	0	0	0	0	0	3
other	0	0	0	0	0	0	0	1	0	0	1	28	30
total	21	4	21	3	20	6	2	14	32	2	2	28	155

Table 10. Combined GRAID counts for the *g1-f-12* text.

Persian *g1-f-14*

(99 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	1	2	0	0	0	0	0	0	0	0	0	3
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	15	7	26	2	0	0	0	0	0	0	0	0	50
0	3	0	1	0	2	0	0	0	0	0	0	0	6
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	6	0	8	1	4	4	2	4	17	0	0	0	46
pro	1	0	0	0	0	0	1	0	0	0	0	0	2
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	3	4	2	3	17	0	0	0	29
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	0	0	3	0	0	0	0	0	0	0	0	0	3
ind_pro	1	0	0	0	0	0	0	0	0	0	0	0	1
refl.h	0	0	0	0	0	0	0	0	0	0	0	0	0
np.h	9	0	2	0	4	0	1	0	0	0	0	0	16
np	13	0	0	0	20	8	4	14	3	1	1	2	66
#cc	0	0	0	0	5	0	0	0	0	0	0	0	5
other	0	0	0	0	0	0	0	4	0	0	3	90	97
total	48	8	42	3	38	16	10	25	37	1	4	92	324

Table 11. Combined GRAID counts for the *g1-f-14* text.

Persian *g1-m-03*

(17 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	3	0	6	0	0	0	0	0	0	0	0	0	9
0	1	0	0	0	1	0	0	0	0	0	0	0	2
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	0	0	0	0	0	0	0	0	3	0	0	0	3
pro	0	0	0	0	0	0	0	0	1	0	0	0	1
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	0	0	0	0	3	0	0	0	3
=pro	0	0	0	0	0	0	0	0	1	0	0	0	1
ind_pro.h	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro	0	0	0	0	0	0	0	0	0	0	0	0	0
refl.h	0	0	0	0	0	0	0	0	0	0	0	0	0
np.h	2	0	2	0	0	0	0	1	0	0	0	0	5
np	3	0	0	0	5	2	0	0	0	0	0	1	11
#cc	0	0	0	0	1	0	0	0	0	0	0	0	1
other	0	0	0	0	0	0	0	0	0	0	0	5	5
total	9	0	8	0	7	2	0	1	8	0	0	6	41

Table 12. Combined GRAID counts for the *g1-m-03* text.

Persian *g1-m-04*

(61 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	1	5	0	0	0	0	0	0	0	0	0	6
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	4	4	18	1	0	0	0	0	0	0	0	0	27
0	5	0	0	0	7	0	0	0	0	0	0	0	12
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	0	1	2	0	4	1	2	2	11	1	0	0	24
pro	0	0	0	0	1	0	0	0	0	0	0	0	1
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	4	1	2	2	11	0	0	0	20
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	0	1	1	0	0	0	0	0	0	0	0	0	2
ind_pro	0	0	0	0	1	0	0	0	0	0	0	0	1
refl.h	0	0	1	0	0	1	0	0	0	1	0	0	3
np.h	6	0	5	0	2	2	0	0	0	1	0	0	16
np	3	0	0	0	9	3	1	6	0	0	3	0	25
#cc	0	0	0	0	1	0	0	0	0	0	0	0	1
other	0	0	0	0	1	0	0	0	0	0	1	48	50
total	18	7	32	1	30	8	5	10	22	3	4	48	188

Table 13. Combined GRAID counts for the *g1-m-04* text.

Persian *g1-m-06*

(22 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	3	1	10	0	0	0	0	0	0	0	0	0	14
0	0	0	0	0	3	0	0	0	0	0	0	0	3
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	3	0	1	0	0	0	1	0	1	0	0	0	6
pro	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	0	0	1	0	1	0	0	0	2
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	3	0	1	0	0	0	0	0	0	0	0	0	4
ind_pro	0	0	0	0	0	0	0	0	0	0	0	0	0
refl.h	0	0	0	0	0	0	0	0	0	0	0	0	0
np.h	2	0	0	0	0	0	0	0	0	0	0	0	2
np	1	0	0	0	8	1	1	4	0	0	0	0	15
#cc	0	0	0	0	0	0	0	0	0	0	0	0	0
other	0	0	0	0	0	0	0	2	0	0	0	14	16
total	12	1	12	0	11	1	3	6	2	0	0	14	62

Table 14. Combined GRAID counts for the *g1-m-06* text.

Persian *g1-m-13*

(69 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	<i>total</i>
0.1	0	2	0	0	0	0	0	0	0	0	0	0	2
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	5	2	20	1	0	0	0	0	0	0	0	0	28
0	0	0	0	0	5	0	0	0	0	0	0	0	5
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	1	0	0	0	1	0	2	3	14	1	0	0	22
pro	3	0	0	0	3	0	0	0	0	0	0	0	6
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	1	0	1	3	14	0	0	0	19
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	1	0	0	0	0	0	0	0	0	1	0	0	2
ind_pro	3	0	0	0	2	0	0	0	0	0	0	0	5
refl.h	0	0	0	0	0	1	0	0	2	0	0	0	3
np.h	12	2	10	0	2	2	1	0	3	0	0	0	32
np	10	0	0	0	15	14	3	18	0	1	0	0	61
#cc	0	0	0	0	2	0	0	0	0	0	0	0	2
other	0	0	0	0	1	0	0	1	0	0	0	63	65
total	35	6	30	1	32	17	7	25	33	3	0	63	252

Table 15. Combined GRAID counts for the *g1-m-13* text.

Persian *g2-f-01*

(58 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
0.2	0	0	1	0	0	0	0	0	0	0	0	0	1
0.h	8	1	13	1	0	0	0	0	0	0	0	0	23
0	1	0	1	0	4	0	0	0	0	0	0	0	6
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	2	0	0	0	2
pro.h	0	1	3	0	1	0	2	2	15	0	0	0	24
pro	1	0	0	0	0	0	0	0	1	0	0	0	2
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	2	0	0	0	2
=pro.h	0	0	0	0	1	0	1	2	15	0	0	0	19
=pro	0	0	0	0	0	0	0	0	1	0	0	0	1
ind_pro.h	0	1	0	0	0	0	0	0	0	0	0	0	1
ind_pro	1	0	0	0	0	0	0	0	0	0	0	0	1
refl.h	0	1	0	0	0	2	0	0	1	0	0	0	4
np.h	10	0	2	0	0	2	0	0	1	1	0	0	16
np	11	0	2	0	11	5	2	13	2	0	0	1	47
#cc	0	0	0	0	2	0	0	0	0	0	0	0	2
other	0	0	0	0	0	0	0	0	0	0	6	47	53
total	32	4	22	1	19	9	5	17	40	1	6	48	204

Table 16. Combined GRAID counts for the *g2-f-01* text.

Persian *g2-f-02*

(44 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	<i>total</i>
0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	7	1	9	1	0	0	0	0	0	0	0	0	18
0	1	0	0	0	1	0	0	0	0	0	0	0	2
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	0	0	1	0	2	3	1	1	10	0	0	0	18
pro	1	0	0	0	0	0	0	1	1	0	0	0	3
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	2	3	1	1	10	0	0	0	17
=pro	0	0	0	0	0	0	0	1	1	0	0	0	2
ind_pro.h	0	0	1	0	0	0	0	0	0	0	0	0	1
ind_pro	1	0	0	0	0	0	0	0	0	0	0	0	1
refl.h	0	0	0	0	0	0	0	0	0	0	0	0	0
np.h	8	0	1	0	1	0	0	0	1	0	1	0	12
np	8	0	0	0	8	2	2	4	0	0	1	2	27
#cc	0	0	0	0	1	0	0	0	0	0	0	0	1
other	0	0	0	0	0	0	0	1	0	0	0	22	23
total	26	1	12	1	15	8	4	9	23	0	2	24	125

Table 17. Combined GRAID counts for the *g2-f-02* text.

Persian *g2-f-03*

(40 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	6	2	11	0	0	0	0	0	0	0	0	0	19
0	0	0	1	0	1	0	0	0	0	0	0	0	2
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	1	0	1	0	0	2	2	0	6	0	0	0	12
pro	0	0	0	0	4	0	0	0	0	0	0	0	4
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	0	2	1	0	5	0	0	0	8
=pro	0	0	0	0	2	0	0	0	0	0	0	0	2
ind_pro.h	0	0	1	0	0	0	0	0	0	0	0	0	1
ind_pro	0	0	0	0	2	0	0	0	0	0	0	0	2
refl.h	0	0	0	0	0	0	0	0	1	0	0	0	1
np.h	3	1	3	0	2	1	0	0	3	1	0	0	14
np	3	0	0	0	12	5	2	1	0	0	0	3	26
#cc	0	0	0	0	3	0	0	0	0	0	0	0	3
other	0	0	0	0	0	0	0	1	0	0	0	64	65
total	13	3	17	0	26	10	5	2	15	1	0	67	159

Table 18. Combined GRAID counts for the *g2-f-03* text.

Persian *g2-f-04*

(25 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	<i>total</i>
0.1	0	1	0	0	0	0	0	0	0	0	0	0	1
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	2	1	6	1	0	0	0	0	0	0	0	0	10
0	0	0	0	0	1	0	0	0	0	0	0	0	1
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	0	0	1	0	1	1	1	0	4	0	0	0	8
pro	1	0	0	0	1	0	0	1	0	0	0	0	3
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	0	0	1	0	4	0	0	0	5
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro	1	0	0	0	0	0	0	0	0	0	0	0	1
refl.h	0	0	0	0	0	1	0	0	0	0	0	0	1
np.h	2	0	4	0	0	0	1	1	2	0	0	0	10
np	4	0	1	0	8	2	0	1	0	0	0	0	16
#cc	0	0	0	0	0	0	0	0	0	0	0	0	0
other	0	0	0	0	0	0	0	1	0	0	0	24	25
total	10	2	12	1	11	4	3	4	10	0	0	24	81

Table 19. Combined GRAID counts for the *g2-f-04* text.

Persian *g2-f-05*

(26 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	<i>total</i>
0.1	1	0	0	0	0	0	0	0	0	0	0	0	1
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	3	2	10	0	0	0	0	0	0	0	0	0	15
0	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	0	1	0	0	2	2	2	0	2	0	0	0	9
pro	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	2	2	2	0	2	0	0	0	8
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	0	1	0	0	0	0	0	0	0	0	0	0	1
ind_pro	0	0	0	0	0	0	0	0	0	0	0	0	0
refl.h	0	0	0	0	0	0	0	0	0	0	0	0	0
np.h	3	0	1	0	0	0	1	1	1	0	0	0	7
np	4	0	0	0	8	2	0	2	0	0	0	0	16
#cc	0	0	0	0	0	0	0	0	0	0	0	0	0
other	0	0	0	0	0	0	0	0	0	0	0	17	17
total	11	4	11	0	12	6	5	3	5	0	0	17	74

Table 20. Combined GRAID counts for the *g2-f-05* text.

Persian *g2-f-06*

(56 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	2	0	0	0	0	0	0	0	0	0	2
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	13	2	17	2	1	0	0	0	0	0	0	0	35
0	0	0	1	0	2	0	0	0	0	0	0	0	3
pro.1	0	0	1	0	0	0	0	0	0	0	0	0	1
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	0	0	4	0	3	1	2	1	10	0	0	0	21
pro	1	0	0	0	0	0	0	0	1	0	0	0	2
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	3	1	2	1	10	0	0	0	17
=pro	0	0	0	0	0	0	0	0	1	0	0	0	1
ind_pro.h	0	0	1	0	0	0	0	0	0	0	0	0	1
ind_pro	1	0	0	0	0	0	0	0	0	0	0	0	1
refl.h	0	0	0	0	0	0	0	0	0	0	0	1	1
np.h	6	0	0	0	0	3	0	0	0	0	0	0	9
np	6	0	0	0	11	3	0	10	0	0	0	1	31
#cc	0	0	0	0	5	0	0	0	0	0	0	0	5
other	0	0	0	0	0	0	0	0	0	0	1	44	45
total	27	2	26	2	25	8	4	12	22	0	1	46	175

Table 21. Combined GRAID counts for the *g2-f-06* text.

Persian *g2-f-07*

(51 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	8	1	15	0	0	0	0	0	0	0	0	0	24
0	0	0	0	0	6	0	0	0	0	0	0	0	6
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	0	1	1	0	2	1	3	1	7	0	0	0	16
pro	0	0	0	0	3	0	1	0	0	0	0	0	4
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	1	1	3	1	7	0	0	0	13
=pro	0	0	0	0	2	0	0	0	0	0	0	0	2
ind_pro.h	0	1	0	0	0	0	0	0	0	0	0	0	1
ind_pro	0	0	0	0	1	0	1	0	0	0	0	0	2
refl.h	0	0	0	0	0	0	0	0	0	0	0	0	0
np.h	9	1	2	0	0	0	0	2	0	1	0	0	15
np	6	0	0	0	9	4	2	14	1	0	0	0	36
#cc	0	0	0	0	1	0	0	0	0	0	0	0	1
other	0	0	0	0	0	0	1	0	0	0	1	37	39
total	23	4	18	0	25	6	11	18	15	1	1	37	159

Table 22. Combined GRAID counts for the *g2-f-07* text.

Persian *g2-m-08*

(49 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	1	0	0	0	0	0	0	0	0	0	1
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	9	2	11	1	0	0	0	0	0	0	0	0	23
0	1	0	0	0	5	0	0	0	0	0	0	0	6
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	1	0	1	0	2	1	2	0	12	0	0	0	19
pro	2	0	0	0	1	0	0	0	1	0	0	0	4
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	2	0	1	0	12	0	0	0	15
=pro	0	0	0	0	0	0	0	0	1	0	0	0	1
ind_pro.h	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro	2	0	0	0	1	0	0	0	0	0	0	0	3
refl.h	0	0	1	0	0	0	0	0	0	0	0	0	1
np.h	9	0	4	0	1	0	0	0	1	0	0	0	15
np	3	0	1	0	9	6	1	11	0	1	0	0	32
#cc	0	0	0	0	1	0	0	0	0	0	0	0	1
other	0	0	0	0	0	0	0	0	0	0	0	36	36
total	27	2	19	1	22	7	4	11	27	1	0	36	157

Table 23. Combined GRAID counts for the *g2-m-08* text.

Persian *g2-m-09*

(42 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	2	2	0	0	0	0	0	0	0	0	0	4
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	4	2	14	1	0	0	0	0	0	0	0	0	21
0	0	0	0	0	5	0	0	0	0	0	0	0	5
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	0	0	3	0	1	0	0	1	9	0	0	0	14
pro	1	0	0	0	1	0	0	0	0	0	0	0	2
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	1	0	0	1	9	0	0	0	11
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro	1	0	0	0	1	0	0	0	0	0	0	0	2
refl.h	0	0	0	0	0	0	0	0	0	0	0	0	0
np.h	6	0	1	0	0	0	0	0	2	0	0	0	9
np	4	0	1	0	10	4	1	2	0	0	0	0	22
#cc	0	0	0	0	1	0	0	0	0	0	0	0	1
other	0	0	0	0	0	0	0	1	0	0	1	32	34
total	16	4	21	1	20	4	1	5	20	0	1	32	125

Table 24. Combined GRAID counts for the *g2-m-09* text.

Persian *g2-m-10*

(41 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	11	2	12	1	0	0	0	0	0	0	0	0	26
0	0	0	0	0	3	0	0	0	0	0	0	0	3
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	0	0	0	0	1	0	1	1	7	1	0	0	11
pro	0	0	0	0	0	0	0	0	1	0	0	0	1
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	1	0	1	1	7	0	0	0	10
=pro	0	0	0	0	0	0	0	0	1	0	0	0	1
ind_pro.h	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro	0	0	0	0	0	0	0	0	0	0	0	0	0
refl.h	0	0	1	0	0	0	0	0	0	0	0	0	1
np.h	7	0	1	0	0	0	0	1	1	0	0	0	10
np	5	0	0	0	9	4	1	4	0	0	0	0	23
#cc	0	0	0	0	0	0	0	0	0	0	0	0	0
other	0	0	0	0	1	0	0	0	0	0	1	27	29
total	23	2	14	1	15	4	3	7	17	1	1	27	115

Table 25. Combined GRAID counts for the *g2-m-10* text.

Persian *g2-m-11*

(25 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	<i>total</i>
0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	5	1	5	0	0	0	0	0	0	0	0	0	11
0	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	1	2	1	0	1	0	1	0	8	0	0	0	14
pro	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	1	0	1	0	8	0	0	0	10
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	0	1	0	0	0	0	0	0	0	0	0	0	1
ind_pro	0	0	0	0	0	0	0	0	0	0	0	0	0
refl.h	0	0	0	0	0	0	0	0	1	0	0	0	1
np.h	3	0	1	0	0	1	0	0	0	0	3	0	8
np	2	0	0	0	7	2	1	5	0	0	0	0	17
#cc	0	0	0	0	0	0	0	0	0	0	0	0	0
other	0	0	0	0	0	0	0	0	0	0	0	35	35
total	11	4	7	0	9	3	3	5	17	0	3	35	97

Table 26. Combined GRAID counts for the *g2-m-11* text.

Persian *g2-m-12*

(40 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	9	0	13	0	0	0	0	0	0	0	0	0	22
0	1	1	0	0	2	0	0	0	0	0	0	0	4
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	2	0	1	0	4	2	1	0	4	0	0	0	14
pro	0	0	0	0	2	1	0	0	0	0	0	0	3
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	3	2	0	0	4	0	0	0	9
=pro	0	0	0	0	0	1	0	0	0	0	0	0	1
ind_pro.h	1	0	0	0	0	0	0	0	0	0	0	0	1
ind_pro	0	0	0	0	2	0	0	0	0	0	0	0	2
refl.h	0	0	0	0	0	1	0	0	0	0	0	0	1
np.h	6	1	2	0	0	0	0	1	1	0	0	0	11
np	4	0	0	0	5	5	0	6	0	0	0	0	20
#cc	0	0	0	0	1	0	0	0	0	0	0	0	1
other	0	0	0	0	0	0	0	1	0	0	0	26	27
total	23	2	16	0	19	12	1	8	9	0	0	26	116

Table 27. Combined GRAID counts for the *g2-m-12* text.

Persian *g2-m-13*

(52 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	<i>total</i>
0.1	0	0	2	0	0	0	0	0	0	0	0	0	2
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	12	3	20	0	0	0	0	0	0	0	0	0	35
0	2	0	0	0	3	0	0	0	0	0	0	0	5
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	0	0	0	0	5	1	1	0	9	0	0	0	16
pro	1	0	0	0	4	1	0	0	0	0	0	0	6
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	4	1	1	0	8	0	0	0	14
=pro	0	0	0	0	1	1	0	0	0	0	0	0	2
ind_pro.h	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro	1	0	0	0	0	0	0	0	0	0	0	0	1
refl.h	0	0	0	0	0	0	0	0	0	0	0	0	0
np.h	5	0	0	0	1	0	0	0	0	2	1	0	9
np	4	0	0	0	5	3	2	9	0	0	1	0	24
#cc	0	0	0	0	1	0	0	0	0	0	0	0	1
other	0	0	0	0	0	0	0	1	0	0	3	31	35
total	25	3	22	0	24	7	4	10	17	2	5	31	150

Table 28. Combined GRAID counts for the *g2-m-13* text.

Persian *g2-m-14*

(36 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	<i>total</i>
0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	5	1	12	1	0	0	0	0	0	0	0	0	19
0	1	0	1	0	3	0	0	0	0	0	0	0	5
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	1	0	0	0	1	0	2	1	5	0	0	0	10
pro	1	0	0	0	1	0	0	0	0	0	0	0	2
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	1	0	1	1	5	0	0	0	8
=pro	0	0	0	0	0	0	0	0	0	0	0	0	0
ind_pro.h	1	0	0	0	0	0	0	0	0	0	0	0	1
ind_pro	1	0	0	0	1	0	0	0	0	0	0	0	2
refl.h	0	0	0	0	0	0	0	0	0	0	0	0	0
np.h	4	0	2	0	0	2	0	0	0	0	0	0	8
np	6	0	0	0	7	3	2	6	0	0	0	0	24
#cc	0	0	0	0	3	0	0	0	0	0	0	0	3
other	0	0	0	0	0	0	0	0	0	0	2	19	21
total	20	1	15	1	17	5	5	8	10	0	2	19	103

Table 29. Combined GRAID counts for the *g2-m-14* text.

Persian *g2-m-15*

(48 clause units)

	s	s_cp	a	ncs	p	obl	g	l	poss	dt	pred	other	total
0.1	0	0	1	0	0	0	0	0	0	0	0	0	1
0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
0.h	6	3	17	1	0	0	0	0	0	1	0	0	28
0	1	0	0	0	4	0	0	0	0	0	0	0	5
pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
pro.h	1	0	5	0	2	1	2	0	12	0	0	0	23
pro	0	0	0	0	1	0	0	0	0	0	0	0	1
=pro.1	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.2	0	0	0	0	0	0	0	0	0	0	0	0	0
=pro.h	0	0	0	0	1	0	2	0	12	0	0	0	15
=pro	0	0	0	0	1	0	0	0	0	0	0	0	1
ind_pro.h	0	0	2	0	1	0	0	0	0	0	0	0	3
ind_pro	0	0	0	0	0	0	0	0	0	0	0	0	0
refl.h	0	0	1	0	0	1	0	0	0	0	0	0	2
np.h	4	0	2	0	0	2	0	0	1	0	1	0	10
np	4	0	0	0	15	2	1	4	0	0	0	0	26
#cc	0	0	0	0	3	0	0	0	0	0	0	0	3
other	0	0	0	0	0	0	0	1	0	0	2	34	37
total	16	3	28	1	28	6	5	5	25	1	3	34	155

Table 30. Combined GRAID counts for the *g2-m-15* text.